



MATTHEW COX

TAKING CARE OF YOUR VESPER WALL LIGHTS (EXPOSED LIGHTBULBS) US

CLEANING

The surface should only be cleaned lightly with a soft cloth or duster. A barely damp soft cloth can be used for anything trickier to remove, but please resist any urge to rub hard. Once wiped clean, the surface may be lightly waxed with a natural beeswax and polished with a soft lint-free cloth. This helps to nourish and protect the surface and will develop a warm and natural patina over time. No abrasive cloth or cleaning agent should ever be used to clean the brass.

BULBS AND LAMP FITTINGS

Bulbs should only be changed when the lamp fitting is switched off. Bulbs should be firmly screwed into the fitting before switching back on, or it's possible that shorting may occur. All our lighting is continuity tested and PAT tested at the time of making.

We recommend using E26 3.15" diameter 75W dimmable LED globe bulbs with a colour temperature of 4000K (different colour temperatures are available).

FIXING YOUR VESPER WALL LIGHT TO THE WALL

Each light has been supplied with colour matched screws. To fix your Vesper wall light in position, please ensure you consult with your electrician and use the correct secondary fixings for your wall type.



MATTHEW COX

TAKING CARE OF YOUR VESPER WALL LIGHTS (RECESSED LIGHTBULBS) US

CLEANING

The surface should only be cleaned lightly with a soft cloth or duster. A barely damp soft cloth can be used for anything trickier to remove, but please resist any urge to rub hard. Once wiped clean, the surface may be lightly waxed with a natural beeswax and polished with a soft lint-free cloth. This helps to nourish and protect the surface and will develop a warm and natural patina over time. No abrasive cloth or cleaning agent should ever be used to clean the brass.

BULBS AND LAMP FITTINGS

Bulbs should only be changed when the lamp fitting is switched off. Bulbs should be firmly screwed into the fitting before switching back on, or it's possible that shorting may occur. All our lighting is continuity tested and PAT tested at the time of making.

We recommend using E26 B13 7W (60W equivalent) dimmable LED bulbs with a colour temperature of 2700K (different colour temperatures are available).

FIXING YOUR VESPER WALL LIGHT TO THE WALL

Each light has been supplied with colour matched screws. To fix your Vesper wall light in position, please ensure you consult with your electrician and use the correct secondary fixings for your wall type.



MATTHEW COX

TAKING CARE OF YOUR VESPER WALL LIGHTS (EXPOSED LIGHTBULBS) UK

CLEANING

The surface should only be cleaned lightly with a soft cloth or duster. A barely damp soft cloth can be used for anything trickier to remove, but please resist any urge to rub hard. Once wiped clean, the surface may be lightly waxed with a natural beeswax and polished with a soft lint-free cloth. This helps to nourish and protect the surface and will develop a warm and natural patina over time. No abrasive cloth or cleaning agent should ever be used to clean the brass.

BULBS AND LAMP FITTINGS

Bulbs should be firmly screwed into the fitting before switching back on, or it's possible that shorting may occur. Bulbs should only be changed when the lamp fitting is switched off. All our lighting is continuity tested and PAT tested at the time of making.

We recommend using ES E27 80mm diameter 40W dimmable globe bulbs in your Vesper wall light(s).

The above specification of bulb can also be bought as incandescent or LED. Incandescent bulbs get hot, so do not touch the bulb when the light is (or has been) on. LED bulbs will not get hot. NB LED bulbs have a different filament to the old-fashioned incandescent bulbs.



MATTHEW COX

The bulbs we have supplied fit the above specification and are incandescent and dimmable. Please replace these with LED bulbs if you feel these will be more appropriate for your environment. 'Calex' makes the LED bulbs to the above specification.

FIXING YOUR VESPER WALL LIGHT TO THE WALL

Each light has been supplied with colour matched screws. To fix your Vesper wall light in position, please ensure you consult with your electrician and use the correct secondary fixings for you wall type.



MATTHEW COX

TAKING CARE OF YOUR VESPER WALL LIGHTS (RECESSED LIGHTBULBS) UK

CLEANING

The surface should only be cleaned lightly with a soft cloth or duster. A barely damp soft cloth can be used for anything trickier to remove, but please resist any urge to rub hard. Once wiped clean, the surface may be lightly waxed with a natural beeswax and polished with a soft lint-free cloth. This helps to nourish and protect the surface and will develop a warm and natural patina over time. No abrasive cloth or cleaning agent should ever be used to clean the brass.

BULBS AND LAMP FITTINGS

Bulbs should be firmly screwed into the fitting before switching back on, or it's possible that shorting may occur. Bulbs should only be changed when the lamp fitting is switched off. All our lighting is continuity tested and PAT tested at the time of making.

We recommend using ES E27 35mm diameter 5.5W (40-watt equivalent) dimmable bulbs with a colour temperature of 4000K (other colour temperatures are available). The bulbs we have supplied fit the above specification and are dimmable.

FIXING YOUR VESPER WALL LIGHT TO THE WALL

Each light has been supplied with colour matched screws. To fix your Vesper wall light in position, please ensure you consult with your electrician and use the correct secondary fixings for your wall type.